## 2017 CERTIFICATION WATER SUPPLY Consumer Confidence Report (CORN MAY -9 AM 3: 42

- Lity of Union	
Public Water System Na	me
0510011	
List PWS ID #s for all Community Water Syste	ems included in this CCR
The Federal Safe Drinking Water Act (SDWA) requires each Community F a Consumer Confidence Report (CCR) to its customers each year. Dependent be mailed or delivered to the customers, published in a newspaper of request. Make sure you follow the proper procedures when distributing the mail, a copy of the CCR and Certification to the MSDH. Please check a	The population served by the PWS, this CCR local circulation, or provided to the customers upon e CCR. You must email, fax (but not preferred) or all boxes that apply
Customers were informed of availability of CCR by: (Attach co	ODV of publication water bill or other)
Advertisement in local paper (Attach copy	of advertisement)
☐ On water bills (Attach copy of bill)	,
☐ Email message (Email the message to the	address helow)
☐ Other	Control Control of the Control of th
Date(s) customers were informed:/ /2018	/ /2018 / /2018
CCR was distributed by U.S. Postal Service or other direct methods used	t delivery. Must specify other direct delivery
Date Mailed/Distributed: / /	
CCR was distributed by Email (Email 1907)	D. D. W.
□ As a URL	Date Emailed: / / 2018
☐ As an attachment	(Provide Direct URL)
☐ As text within the body of the email message	ze.
CCR was published in local newspaper. (Attach copy of publish	and CCD
Name of Newspaper: Newton County Appeal	eu CCR or proof of publication)
Date Published: 4 / 15 /20/8	
CCR was posted in public places. (Attach list of locations)	- II
CCR was posted on a publicly accessible internet site at the follo	Date Posted: / / 2018
a specially decessible internet site at the follo	owing address:
CERTIFICATION  I hereby certify that the CCR has been distributed to the customers of this put above and that I used distribution methods allowed by the SDWA. I further cer and correct and is consistent with the water quality monitoring data provided to the terms of Public Water Supply	he PWS officials by the Mississippi State Department
wayne weich	5/4/2018
Name/Title (President, Mayor, Owner, etc.)	Date
Submission options (Select one meth	
MSDH, Bureau of Public Water Supply P.O. Box 1700	Email: water.reports@msdh.ms.gov
Jackson MS 30215	Fax: (601) 576 - 7800  **Not a preferred method due to poor clarity.**

CCR Deadline to MSDH & Customers by July 1, 2018!

# Annual Drinking Water Quality Report City of Union PWS ID # 0510011 April, 2018

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of 3 wells that draw from the Upper Meridian Wilcox Aquifer.

A source water assessment has been completed for the water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination. The water supply for the City of Union received a lower susceptibility ranking to contamination.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Johnathan Ferguson at 601-774-9422. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the 1<sup>st</sup> Tuesday of each month at Union City Hall at 5:30 p.m.

The City of Union routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31<sup>st</sup>, 2017. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

				TEST RI	ESULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic C	Contami	nants				-		
10. Barium	N	2016*	0.0213	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2016*	0.7	No Range	Ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	1/1/14 to 12/31/16*	0.1	None	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2016*	0.385	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	1/1/14 to 12/31/16*	1	None	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfectar	nts & Di	sinfectant	By-Pro	ducts				N 16.2
Chlorine (as Cl2)	N	1/1/17 to 12/31/17	0.80	0.70 to 0.80	ppm	4	4	Water additive used to control microbes
73. TTHM [Total tri- halomethanes]	N	2017	10.50	No Range	ppb	0	80	By-product of drinking water chlorination
HAA5	N	2017	4.0	No Range	ppb	0	60	By-product of drinking water chlorination

<sup>\*</sup> Most recent sample results available

## Monitoring and Reporting of Compliance Data Violations Significant Deficiencies

During a sanitary survey conducted on 12/12/16, the MS State Department of Health cited the following significant deficiencies:

(1) Negative pressure that could result in contamination.

Corrective Action: MSDH is currently completing enforcement actions to return the system back into compliance by 4/30/18.

(2) Inadequate Pump Capacity

Corrective Action: MSDH is currently completing enforcement actions to return the system back into compliance by 6/30/18.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the City of Union, PWS ID#0510011, is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which the average fluoride sample results were within the optimal range of 0.6 - 1.3 ppm was 7. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.6 - 1.3 ppm was 57%.

#### Additional Info/mation for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Union is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested.

Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested..

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

This report being published in the paper will not be mailed. Please call our office if you would like a copy or if you have any questions.

## PROOF OF PUBLICATION

## STATE OF MISSISSIPPI COUNTY OF NEWTON

Personally came before me the undersigned authority, in and for the County and State aforesaid Brent Maze, who being by me duly sworn, states on oath that he is the Publisher of *The Newton County Appeal*, a newspaper published in Newton County, Mississippi. A copy of which is hereto attached, has

been made in said paper	times consecutivel	y, to-wit:	,#	
	Vol. No. 109	No. <u>39</u>	Date 4/25	_,20_[8
For:	Vol. No	No	Date	_,20
City of Union	Vol. No	No	Date	_,20
* *.	Vol. No		Date	_,20
	Vol. No	No	Date	_,20
	Publisher Signature:	Bre	Ing.	
**			Sworn to and subscrib	
÷	this 2	10 downs	April.	~ 19

### WEDNESDAY, APRIL 25, 2018

Annual Drinking Water Quality Report
City of Union
PWS ID # 0510011

We're pleased to present to you this year's Amual. Water Quality Report. This report is designed to inform you shout the quality water and services we delive to you every day. Our containst goal is to provide you with a safe and dependable supply of chairing water. We want you to understand the efform we make to certimally improve the water process and protect our water resources. We are committed to certain the quality of your the water trustment process and protect our water that they draw from the Upper Mexicialian Willows Aquifer.

A source water assessment has been completed for the water supply so determine the everall socceptionary or as drinking water to identify potential sources of consumination. The water supply for the City of Union received a lower maccoffility making to consumination.

We've pipesed to report that our drinking water prects all federal and state requirements

If you have any questions about this report or concerning your water utility, please contact Johnston Perguson is 501-774-9422. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled mentions. They are held on the 1<sup>8</sup> Tourity of each month at Union City Hell at 5-30 tim.

The City of Union restinely monitors for constituents in your drinking water according to Federal and States laws. This table shows the results of our monitoring for the period of farmany I as to December 31\*, 2017. As water gravels over the land or underground, it can pick up subsences or contaminants such as arderobes, increased and gravels over the land or underground, it can pick up subsences or contaminants such as arderobes, increased or against chamined, and middecity substances. All densiting arters: including betried drinking water, may be creasuably expected to contain at least small amounts of some constituents. It's important to symmetry the probability and packet risk.

In this table you will find many terms and abbreviations you might not be familier with. To help you better

Action Lovel - the concentration of a contemperate which, if expected, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a comminant that is allowed in drinking water. MCLs are set as close to the MCLOs as feasible using the best available treatment technology.

Maximum Conteminant Level Goal - The "Goal" (MCLO) is the level of a conteminant in drinking water below.

which there is no known or expected risk to health. MCLOs allow for a margin of safety.

### THE NEWTON COUNTY APPEAL

THE STATE		All in		TEST R	ESULTS			
Committee	Yadalan	Detr Collemne	Lend Diseased	Emprof Dates of F of Residen Recording MCLANCE	Link Identification	MC3.G	HCL	Libely Secret of Contembra
norganic (	Contami	nants		(5)				
10. Daches	×	30345	0.4013	No Range	i'e	1		Discharge of drilling washes: ducharge from would reflaction: consists of pround deposits
13. Charles	N	2014"	0.7	*No Range	794	teo	fæ	Distances from send and pulp mile, armine of material describe.
SA, Coppur	н	1/1/14 to 12/31/16*	6.2	Pictor	Man	U	AL-IJ	Commiss of brancheid planting symmet, storios of natural deparks; leaching from wood pressy (2018)
16. Pleachte	N	3010".)	0.385	Pår Range		•	•	Ermins of natural dept. Int. some edilities which promotes strong leads Gockery: from Cycliffor and shows on Sectories
(7.1=4	H.	12/11/4 to	1	Nate	**	·	AL=13	Corresion of incombald planeting systems, erosion of autorial decrease
Disinfects	nts & D	fair foctes	t By-Pr	odects	4,745,10	DIAM'S	1. 3	
Chipries (se CC2)	1	5/1/17 to 12/21/17	0.00	0.70 to 0.80	-	1		Water readiline send to control microl. 1
73. TYPHM Floral or	H	3017	10.10	No Rudge	PPD.	. 0		Dy-pendact of drinking wears underlandate
HAAS	м	20(7	4.0	No Exage	-		60	By-project of drinking water

Manhoring and Reporting of Compliance Date Violation

Significant Deficiencies

During a mutury survey conducted on 12/12/16, the MS State Department of Health nited the following

deathers deficiencies:

Negative pressure that could could result in contemination.
 Corrective Action: MSDH is currently completing enforcement actions to return the system background.

2) Inadoquate Pump Capacity
Corrective Action: MSDH is currently completing enforcement actions to return the system back into

To comply with the "Regulation Governing Financiation of Community Water Supplier" the City of Union, PWS ID80510011, is required to report certain results pertaining to functions of our water system. The number of mentals in the previous calender year in which the average fluoristic sample results were within the optimal range of 0.5.1.3 ppm was 7. The percentage of fluoride samples collected in the previous calendar year that, was within the costinual range of 0.6.1.2 ppm was 77%.

Additional information for Cases if persons the Cases serious health problems, especially for pregnant women and young children. Lead in delaking water is primarily from materials and components an ocitated with service lines and home planching. The City of Union is responsible for providing high quality drinking water but cannot control how writery of materials used in planching components. When your water has been sitting for several hours, you can minimize the powerial for lead exposure by flushing your tep for 50 seconds to 2 minutes before using water and inclination of the control of the contr

nformation from the Sa of Health P wish to hav

All sources man made. drinking w contaminar information Protection

Some peop compromis tramplanta perticularly providers, microbiolo

This repo